

KIMTECH™

Be Your Best with Kimtech™ Cleanroom Gloves

Working hand in hand to protect
your processes and people.



Why KIMTECH™?

Kimberly-Clark Professional™ partners with you to create exceptional cleanrooms, reducing contamination risk and improving worker safety. When you work in challenging environments with no margin for error, count on Kimtech™ products to **protect** your critical processes and the people who perform them. Kimtech™ products are designed for **precision** tasks and exacting performance as we understand the risks and costs associated with contamination. We partner with you to deliver **seamless, worry-free** performance that minimise risk and maximise performance.



Protect the Process

Kimtech™ Cleanroom gloves can drive cGMP compliance by reducing contamination risk.

- › Packaged in state-of-the-art ISO 5 Cleanrooms
- › Low Particle & Endotoxin⁽¹⁾ levels
- › Validated Sterility Assurance Level of 10⁻⁶
- › Non detectable levels of Silicone, Phthalates and DOP



Protect the Operator

Kimtech™ Cleanroom gloves are specifically designed to protect operators from Chemical Splash and Micro-Organism Hazards.

- › EN ISO 374-1 Chemical splash protection certification
- › EN 374-4 Resistance to degradation by chemicals certification
- › EN ISO 374-5 Micro-Organism and virus protection certification
- › Non detectable level of chemical accelerators to minimise risk of skin irritation



Assured Compliance

Kimberly-Clark Professional™ makes it easy to demonstrate compliance with cleanroom gloves.






- › PPE Category III according to the Regulation (EU) 2016/425 and to the Regulation 2016/425 as brought into the UK law and ammended
- › Manufacturing site ISO 9001 and/or ISO 13485 certified
- › Certificates of Analysis (CoA) and Certificates of Irradiation [CoI]⁽²⁾ available for every production lot
- › Our website www.kimtech.eu is a rich source of online documents, including Technical Data Sheets, Declaration of Conformity, Certificates of Analysis and Certificates of Irradiation

⁽¹⁾Endotoxin level available for cleanroom sterile gloves only

⁽²⁾Certificate of Irradiation available for cleanroom sterile gloves only

Assured Compliance

PPE Cat III Complex Design according to the Regulation (EU) 2016/425 and to the Regulation 2016/425 as brought in the UK law and amended :
For use in applications where effects are irreversible or mortal risk is present.

Hand Protection – Chemical Splash Protection			
Old:  EN374-1 Low Chemical Protection. Protection against Chemical Splash. Ask Manufacturer for breakthrough times against of chemicals being used. Test: Permeation EN374- 3		EN 374-3  XYZ EN374-3 Chemical Protection. Protection against Chemical Permeation. List of 12 chemicals, each assigned a letter a to l, breakthrough time of >30 minutes on at least 3 chemicals. Test: Permeation EN374-3	
New: EN ISO 374-1 / Type C  Type C: At least Level 1 performance (more than 10 minutes) against at least 1 chemical on the list. Test: Permeation EN 16523-1		EN ISO 374-1 / Type B  XYZ Type B: At least Level 2 performance (more than 30 minutes) against at least 3 chemicals on the list. Test: Permeation EN 16523-1	
		EN ISO 374-1 / Type A  UVWXYZ Type A: At least Level 2 performance (more than 30 minutes) against at least 6 chemicals on the list. Test: Permeation EN 16523-1	

Existing List of 12 Chemicals		Additional 6 Chemicals
A Methanol	G Diethylamine	M Nitric acid 65%
B Acetone	H Tetrahydrofuran	N Acetic acid 99%
C Acetonitrile	I Ethyl acetate	O Ammonium hydroxide 25%
D Dichloromethane	J n-heptane	P Hydrogen peroxide 40%
E Carbon disulphide	K Sodium hydroxide 40%	S Hydrofluoric acid 40%
F Toluene	L Sulphuric acid 96%	T Formaldehyde 37%

Hand Protection – Micro-organisms hazard protection	
Old: EN 374-2  > Level 2 EN374-2 Micro-organism hazard protection against micro-organisms, Level 3 - AQL 0.65 / Level 2 - AQL 1.5 Test: water-tightness, ISO2859 sampling by lot.	New: EN ISO 374-5  Virus For protection against bacteria and fungi a penetration test is required using EN 374-2. For protection against viruses, compliance to ISO 16604 (method B) standard is necessary.

Chemical Permeation Classifications							
Classification	Unclassified	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6
Time	<10	10-30	30-60	60-120	120-240	240 - 480	>480
Usage	Not recommended	Splash protection		Medium protection		High protection	

For more information, go to www.kimtech.eu/legislation

Kimtech™ G3 Sterile White Nitrile Gloves

- ▶ Suitable for EU GMP ISO Class 5 / Grade A sterile cleanroom
- ▶ Low levels of particles (max 950 >0,5µm/cm²) and endotoxins
- ▶ Hand specific, length 30.5cm
- ▶ Individually pair packed, double bagged and placed into case liners
- ▶ Textured fingertips for enhanced grip
- ▶ Available in a wide range of sizes 6.0-10.0

Kimtech™ G3 Sterile White Nitrile Gloves provide enhanced levels of contamination control and cleanliness. Excellent comfort and tactile control to ensure processes are safe and efficient. Protects against chemical splash, viruses and micro-organism contamination. Featuring textured fingertips for improved grip and sensitivity while being suitable for double donning. Validated to a Sterility Assurance Level (SAL) of 10⁻⁶, cleanliness level of a maximum of 950 particles >0.5µm/cm² and endotoxin level of 20 units/pair maximum. Gloves are provided cleanroom-ready: individually pair packed, double bagged and placed into case liners.

Assured Compliance:



- PPE Cat III according to Regulation (EU) 2016/425 and to the Regulation 2016/425 as brought in the UK law and amended
- EN ISO 374-1 Type B (KPT) Chemical Splash protection
- EN 374-4 Resistance to degradation by chemicals
- EN ISO 374-5 Micro Organism and Virus Protection
- Sterility Assurance Level (SAL) 10⁻⁶
- Certificate of Analysis (CoA) and Certificate of Irradiation (CoI) available online for each production lot



Kimtech™ G3 Sterile White Nitrile Gloves	6.0	6.5	7.0	7.5	8.0	8.5	9.0	10.0	Pairs/Sachet	Total / Case
Former Code	HC61160	HC61165	HC61170	HC61175	HC61180	HC61185	HC61190	HC61110	20 pairs	200 pairs
New Code	56888	56889	56890	56891	56892	56893	56894	56887		



Freedom from Pinhole trend data for Kimtech™ G3 Sterile White Nitrile Gloves. January 2018 - January 2019



Kimtech™ G3 Sterile Sterling™ Nitrile Gloves

- Suitable for EU GMP ISO Class 5 / Grade A sterile cleanroom
- Low levels of particles (max 1200 >0,5µm/cm²) and endotoxins
- Hand specific, length 30.5cm
- Individually pair packed, double bagged and placed into case liners
- Textured fingertips for enhanced grip
- Available in a wide range of sizes 6.0-10.0


The Sterling™ nitrile technology reduces glove thickness and enhances strength without compromising safety and comfort. When double-donned, the Kimtech™ G3 Sterile Sterling™ Nitrile Gloves deliver a similar feel and dexterity compared to a single sterile latex glove. Eco-friendly packaging with 50% more gloves per case. Beaded cuffs for easy donning. Textured fingertips to enhance dexterity and sensitivity. High cleanliness level (1200 particles >0.5µm/cm²) and low endotoxin level (max 20 units/pair). Gloves are provided cleanroom ready : individually pair packed, double bagged and placed into case liners.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425 and the Regulation 2016/425 as brought in the UK law and amended
- EN ISO 374-1 Type C Chemical Splash protection
- EN 374-4 Resistance to degradation by chemicals
- EN ISO 374-5 Micro Organism and Virus Protection
- Sterility Assurance Level (SAL) 10⁻⁶
- Certificate of Analysis (CoA) and Certificate of Irradiation (CoI) available online for each production lot



Kimtech™ G3 Sterile Sterling™ Nitrile Gloves	6.0	6.5	7.0	7.5	8.0	8.5	9.0	10.0	Pairs/Sachet	Total / Case
Code	11821	11822	11823	11824	11825	11826	11827	11828	30 pairs	300 pairs



Kimtech™ G3 Sterile Latex Gloves

- ▶ Low levels of particles (max 1500 >0,5µm/cm²) and endotoxins
- ▶ Hand specific, length 30.5cm
- ▶ Pair packed and double bagged
- ▶ Available in a wide range of sizes 6.0-10.0

Kimtech™ G3 Sterile Latex gloves provide sensitive and dextrous protection in EU GMP ISO Class 5 Grade A sterile cleanrooms. The hand-specific gloves are suitable for double-donning and feature a textured finish for enhanced tactile performance.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425 and the Regulation 2016/425 as brought in the UK law and amended
- EN ISO 374-1 Type C Chemical Splash protection
- EN 374-4 Resistance to degradation by chemicals
- EN ISO 374-5 Micro Organism and Virus Protection
- Sterility Assurance Level (SAL) 10⁻⁶
- Certificate of Analysis (CoA) and Certificate of Irradiation (CoI) available online for each production lot



Kimtech™ G3 Sterile Latex Gloves	6.0	6.5	7.0	7.5	8.0	8.5	9.0	10.0	Pairs/Sachet	Total / Case
Former Code	HC1360S	HC1365S	HC1370S	HC1375S	HC1380S	HC1385S	HC1390S	HC1310S	20 pairs	200 pairs
New Code	56843	56844	56845	56846	56847	56848	56849	56842		



Kimtech™ G3 Latex Gloves

- ▶ Made of high quality latex material providing high levels of protection and comfort
- ▶ Low level of particle (max 1500 >0,5µm/cm²) and extractable ions
- ▶ Ambidextrous with beaded cuffs
- ▶ Available in a range of sizes, from S to XL

Kimtech™ G3 Latex cleanroom gloves provide enhanced tactile sensitivity and performance. Washed with DI water to ensure consistent control of particles and extractables. High-quality finish for tactile sensitivity and comfort in both wet and dry conditions. Provided double-bagged in cleanroom-compatible polyethylene and case liner so as to be easily integrated into your processes.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425 and the Regulation 2016/425 as brought in the UK law and amended
- EN ISO 374-1 Type C Chemical Splash protection
- EN 374-4 Resistance to degradation by chemicals
- EN ISO 374-5 Micro Organism and Virus Protection
- Certificate of Analysis (CoA) available online for each production lot



Kimtech™ G3 Latex Gloves - Length 30.5cm	S	M	L	XL	Gloves/Sachet	Total / Case
Former Code	HC225	HC335	HC445	HC555	100	1000
New Code	56813	56814	56815	56816		



Kimtech™ G3 White & G3 NxT Nitrile Gloves

- › Industry-leading cleanroom disposable nitrile gloves offering high level of protection, cleanliness and quality
- › ISO 3 cleanroom compatible
- › Low level of particle (max 950 >0,5µm/cm²) and extractable ions
- › Available in tacky or slick finishing
- › Available in a wide range of sizes, from XS to XL

Kimtech™ G3 White and G3 NxT Nitrile gloves are ideal for handling delicate equipment in microelectronics, semiconductor, optics and non-sterile pharmaceutical applications. The high quality nitrile gloves deliver seamless protection when and where it is needed. The nitrile polymer material is designed for fit and reliability, with textured fingertips for improved grip and excellent water tightness with a low risk of pinholes. The gloves are ambidextrous and incorporate a beaded cuff for added strength and ease of donning. Powder and latex free to reduce the risk of Type 1 glove-associated reactions. During manufacture the gloves are washed repeatedly in ultrapure deionised water to ensure consistent control of particles and extractables. Provided double-bagged in cleanroom-compatible polyethylene and case liner so as to be easily integrated into your processes.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425 and the Regulation 2016/425 as brought in the UK law and amended
- EN ISO 374-1 Type B (KPT) Chemical Splash protection
- EN 374-4 Resistance to degradation by chemicals
- EN ISO 374-5 Micro Organism and Virus Protection
- Certificate of Analysis (CoA) available online for each production lot



Kimtech™ G3 White Nitrile Gloves - Length 30.5 cm - Tacky Finish	XS	S	M	L	XL	Gloves/ Sachet	Total / Case
Former Code	HC61010	HC61011	HC61012	HC61013	HC61014	100	1000
New Code	56880	56881	56882	56883	56886		

Kimtech™ G3 NxT Nitrile Gloves - Length 30.5 cm - Slick Finish	XS	S	M	L	XL	Gloves/ Sachet	Total / Case
Code	62990	62991	62992	62993	62994	100	1000



Looking to complete your cleanroom equipment?

Kimtech™ A5 Sterile Cleanroom Coverall

- › Featuring CLEAN-DON™ Technology for simple, safe and efficient aseptic gowning
- › EU GMP ISO 5 Grade A sterile cleanrooms compatible
- › Made from high performance low linting and breathable SMS fabric
- › Vacuum packed and individually double bagged
- › Available in a wide range of sizes S - 4XL

The Kimtech™ A5 Sterile Cleanroom Apparel is designed for simple, safe and efficient sterile donning practices, protecting the process and the cleanroom operators. Made from high performance SMS material which has a cloth-like feel to comfort the wearer and increase productivity. This low-lint fabric adheres to Helmke Drum test Category I and Sterility Assurance Level 10⁻⁶.

For a complete Head-To-Toe solution with innovative hood and overboots, please visit our website www.kimtech.eu.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425 and the Regulation 2016/425 as brought in the UK law and amended
- Type 5 & 6 certified
- Certificate of Conformance (CoC) and Certificate of Irradiation (CoI) available online for each production lot



Kimtech™ A5 sterile Cleanroom Coverall	S	M	L	XL	2XL	3XL	4XL	Total/case
Code	88800	88801	88802	88803	88804	88805	88806	25



CE 0598

EN ISO 13982-1:2004
+A1:2010

EN 13034:2005
+A1:2009

UK 0120

Kimtech™ A8 Coveralls

- › Made of ultra-light breathable SMS antistatic treated
- › Unhooded design with high neck collar
- › Suitable for ISO 7 & 8 / Grade C & D cleanrooms
- › Low lint fabric, Helmke Drum test Cat III

Kimtech™ A8 Coveralls are designed to enhance comfort and reduce heat stress in the laboratory or cleanroom. This low-lint fabric is anti-static treated and adheres to Helmke Drum test Category III. The unhooded overall design includes a high collar, for added neck protection, and built-in thumb loops for wrist coverage that reduces skin exposure.

Assured Compliance:

- PPE Cat III according to Regulation (EU) 2016/425
- Type 6 limited chemical splash protection
- Type 5 particle protection
- EN1149-5:2018 antistatic clothing⁽⁸⁾



Kimtech™ A8 Coveralls	S	M	L	XL	2XL	3XL	4XL	Total/case
Code	47691	47692	47693	47694	47695	47696	47697	25

⁽⁸⁾ This coverall is antistatically treated and offers electrostatic protection according to EN1149-5:2018 when properly grounded



CE 0598

EN ISO 13982-1:2004
+A1:2010

EN 13034:2005
+A1:2009


EN 1149-5:
2018

EN 1073-2:2002
TIL CLASS 1


Chemical Permeation Data

Our website is a rich source of data for your business, visit www.kimtech.eu for:

- **Glove chemical permeation data:** from the top menu select “Resources” and then “Chemical Permeation”
- **Certificate of Analysis and Certificate of Irradiation:** from the top menu select “Resources” and then “Certificate”



Chemical	Concentration	Lab Name	Kimtech® Polyethylene Glove	Kimtech® Polypropylene Glove	Kimtech® Nitrile Glove	Kimtech® Latex Glove
Hydrochloric acid	1%	EN 12454	100%	100%	100%	100%
Hydrochloric acid	5%	EN 12454	100%	100%	100%	100%
Sulfuric acid	40%	EN 12454	100%	100%	100%	100%
Sulfuric acid	50%	EN 12454	100%	100%	100%	100%



Submit and download your PDF



General Product Selection Guide

	Code	Size / Format	Total Case content	Material	Characteristics	ISO or Class	Regulatory	Chemical Splash Protection	Micro-organisms Protection	Food Contact
Laboratory Range										
Kimtech™ Laboratory Gloves										
Purple™ Nitrile Gloves	90625 to 90629	XS to XL	10 x 100 ⁽⁵⁾ gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type B (JKT)	EN ISO 374-5 Virus	Approved
Purple™ Xtra™ Nitrile Gloves	97610 to 97614	XS to XL	10 x 50 gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type B (JKT)	EN ISO 374-5 Virus	Approved
Sterling™ Nitrile Gloves	99210 to 99214	XS to XL	10 x 150 ⁽⁶⁾ gloves	Nitrile	textured fingertips	ISO 6 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C	EN ISO 374-5 Virus	Approved
Opal™ Nitrile Gloves	62880 to 62884	XS to XL	10 x 200 ⁽⁷⁾ gloves	Nitrile	textured fingertips	ISO 8 or higher	PPE Cat III	EN ISO 374-1 Type B (KPT)	EN ISO 374-5 Virus	Approved
Kimtech™ Lab Coats										
A7P+ Lab Coat	97700 to 97740	S to 2XL	15 lab coat	Laminated SMS ⁽⁴⁾	individually packed	ISO 8 or higher	PPE Cat III	Type 6 [PB]	EN 14126:2003	
Kimtech™ Science Wipes										
Precision Wipes (White)	7551	30 x 30 cm	15 boxes x 196 sheets	Paper	1 ply	ISO 8 or higher				
Precision Wipes (White)	7552	11,5 x 21 cm	30 boxes x 280 sheets	Paper	1 ply	ISO 8 or higher				
Delicate Task Wipes (White)	7557	20 x 21 cm	24 boxes x 100 sheets	Paper	2 ply	ISO 8 or higher				
Delicate Task Wipes (White)	7558	20 x 21 cm	15 boxes x 200 sheets	Paper	2 ply	ISO 8 or higher				

* For more details on the products please refer to the corresponding technical data sheet

⁽¹⁾ PE: polyethylene

⁽²⁾ PE/PET: polyethylene/ polyethylene terephthalate

⁽³⁾ PP :polypropylene

⁽⁴⁾ SMS : spunbond - meltblown- spunbond

⁽⁵⁾ 10 x 90 for size XL

⁽⁶⁾ 10 x 140 for size XL

⁽⁷⁾ 10 x 170 for size XL



	Former Code	New Code	Size /Format	Total Case content	Material	Characteristics	ISO or Class	Regulatory	Chemical Splash Protection	Micro-organisms Protection
Sterile Cleanroom Range										
Kimtech™ Sterile Cleanroom Gloves										
G3 Sterile White Nitrile Gloves	HC61110 to HC61160	56887 to 56894	6.0 to 10.0	200 pairs	Nitrile	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C	EN ISO 374-5 Virus
G3 Sterile Sterling™ Nitrile Gloves	11821 to 11828		6.0 to 10.0	300 pairs	Nitrile	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C	EN ISO 374-5 Virus
G3 Sterile Latex Gloves	HC1310S to HC1360S	56842 to 56849	6.0 to 10.0	200 pairs	Latex	slick - double donning	ISO 5 Class A/B	PPE Cat III	EN ISO 374-1 Type C	EN ISO 374-5 Virus
Kimtech™ Sterile Cleanroom Apparel										
A5 Sterile Cleanroom Coverall	88800 to 88806		S to 4XL	25 garments	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 5 Type 6	
A5 Sterile Cleanroom Hood with ties	25797		Universal	100 hoods	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 6 (PB)	
A5 Sterile Cleanroom Hood & Mask	36072		Universal	75 hoods	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat III	Type 6 (PB)	
A5 Sterile Overboots with vinyl sole	12922 / 88808		S/M and univ.	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
A5 Sterile Overboots with wrap-around vinyl foot	31683 / 31696		S/M and univ.	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
A5 Sterile sleeves	36077		Length 45 cm	100 pairs	SMS	vacuum packed	ISO 5 Class A/B	PPE Cat I		
Kimtech™ Sterile Face Masks										
M3 Sterile Pouch-Style Face Mask	62483		Width 25 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with headbands	ISO 5 Class A/B			
M3 Sterile Pleat-Style Face Mask	62467		Width 18 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 5 Class A/B			
M3 Sterile Pleat-Style Face Mask	62470		Width 18 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 5 Class A/B			
M3 Sterile Pleat-Style Face Mask	62494		Width 23 cm	200 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 5 Class A/B			
Non-Sterile Cleanroom Range										
Kimtech™ Cleanroom Gloves										
G3 White Nitrile Gloves	HC61010 to HC61014	56880 to 56886	XS to XL	1000 gloves	Nitrile	tacky	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 NxT Nitrile Gloves	62990 to 62995		XS to XL	1000 gloves	Nitrile	slick - double donning	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
G3 Latex Gloves	HC225 to HC555	56813 to 56816	S to XL	1000 gloves	Latex	smooth	ISO 3 or higher Class C/D	PPE Cat III	EN ISO 374-1 Type C (K)	EN ISO 374-5 Virus
Kimtech™ Apparel										
A8 Particles Protection Coverall	47691 to 47697		S to 4XL	25 garments	SMS ⁽⁴⁾	individually packed	ISO 6 or higher Class C/D	PPE Cat III	Type 5 Type 6	
A8 overshoes	39370 to 39372		S / Univ/ XL	300 overshoes	SMS ⁽⁴⁾	fully coated	ISO 6 or higher Class C/D	PPE Cat I		
Kimtech™ Cleanroom Face Masks										
M3 Pouch-Style Face Mask	62484		Width 25 cm	300 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with headbands	ISO 3 or higher Class C/D			
M3 Pleated-Style Face Mask	62451		Width 23 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 3 or higher Class C/D			
M3 Pleated-Style Face Mask	62452		Width 23 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 3 or higher Class C/D			
M3 Pleated-Style Face Mask	62465		Width 18 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with earloops	ISO 3 or higher Class C/D			
M3 Pleated-Style Face Mask	62466		Width 18 cm	500 masks	PE ⁽¹⁾ /[PE/PET] ⁽²⁾ /PP ⁽³⁾	with ties	ISO 3 or higher Class C/D			
M6 Pleated-Style Face Mask	62477		Width 18 cm	500 masks	PP ⁽³⁾ /[PE/PET] ⁽²⁾	with earloops	ISO 6 or higher Class C/D			
Kimtech™ Cleanroom Face Veils										
M7 Face Veils	62751		33 x 38 cm	150 veils	Low lint PE ⁽¹⁾	with snaps	ISO 6 or higher			
M7 Face Veils	62757		33 x 38 cm	150 veils	Low lint PE ⁽¹⁾	with ties	ISO 6 or higher			

KIMTECH™

BE YOUR BEST

➤ WE'VE GOT YOU COVERED

The Kimtech™ Brand offers you additional resources to help you select the right product for the right application.

➤ For more information visit www.kimtech.eu

➤ For technical assistance contact us at kimtech.support@kcc.com

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact your local sales representative if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

©/™ Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. © KCWW. The color Purple and Purple Nitrile™, the color Gray and Sterling™ are trademarks of Owens & Minor, Inc. or its affiliates and used under license.

Publication code: 5289.01 EN 03.23



For more information visit us at <https://eu.fishersci.com/eu/> or contact your local Fisher Scientific Representative:

Email signature:

Contact details:

Distributed by Fisher Scientific. Contact us today:

Austria: fishersci.at Belgium: fishersci.be Denmark: fishersci.dk
Germany: fishersci.de Ireland: fishersci.ie Italy: fishersci.it
Finland: fishersci.fi France: fishersci.fr Netherlands: fishersci.nl
Norway: fishersci.no Portugal: fishersci.pt Spain: fishersci.es
Sweden: fishersci.se Switzerland: fishersci.ch UK: fishersci.co.uk

 **fisher scientific**
part of Thermo Fisher Scientific

© 2022 Thermo Fisher Scientific Inc. All rights reserved.

Trademarks used are owned as indicated at fishersci.com/trademarks.